

Real **CAM BALKON**

Aluminium Profile Systems



Zip Perde Sistemleri / Zip Curtain Systems

Rea1 **CAM BALKON**

Dikey Zip Perde Sistemi

İçindekiler Index

Dikey Zip Perde Sistemi.....3-8
Vertical Zip Curtain Systems

Profiller.....9-10
Profiles

Montaj.....11-13
Montage

Tavan Zip Perde Sistemi.....15-16
Ceiling Zip Curtain Systems

Profiller.....17-18
Profiles

Montaj.....19-24
Montage






Zip perde, dış cephe perde sistemidir. Dış hava koşullarından etkilenmez. Rüzgâra karşı yüksek direnç gösterir. Yaz - kış ideal kullanım sunar. Zip perde, mekânlarınızı güneşin uv ışınlarından korur ve gölge olmasını sağlar. Ani hava değişimlerinde güneşin yakıcı etkisinden, rüzgârdan, yağmurdan, haşerelerden koruma sağlar. Yaşam rahatlığını artırır, klimalı ortamlarda enerji tasarrufu sağlar. Görüntü karartması yaparak mahremiyet alanı oluşturur. Oldukça dayanıklı ve kaliteli kumaşlar kullanılarak üretilen bu ürünün, otomatik olması ise büyük bir kullanım kolaylığı sağlamaktadır. Kumandalı olduğu için istenildiği şekilde açılıp kapatılabilmektedir. Çok elit bir görünüm sunan bu perdenin her mekâna uyum sağladığı söylenebilir.

Her türlü projeye uygun renk yelpazesi

Yeni Soltis Horizon 86 serisi, binanın tüm çevresini (doğrama, açıklıklar ve cepheler) tamamlamak için tasarım ofisimiz tarafından tasarlanan renkleri içerir. Renkler, en yaygın renklerle (RAL ve NCS referansları) eşleşen tonları sunar.

Özel Precontraint® Teknolojisi

Bu eşsiz dünya çapında patentli teknoloji, kompozitin üretim döngüsü boyunca iki eksenli gerilimde tutulmasını içerir. Bu, malzemelerimize, boyutsal kararlılık, mekanik dayanım, kaplama kalınlığı ve düzlük açısından pazar standartlarını aşmalarına olanak tanıyan olağanüstü bir performans sağlar.



Yüksek mukavemetli polyester mikro iplik dokuma	1	Üstün Uzama ve yırtılma direnci
Hem çözgü hem de atkı yönlerinde çift eksenli sabit gerilim altında kaplama	2	İşleme ve kullanım sırasında deformasyon olmaz
İpliklerin tepesinde daha fazla kaplama ve kire karşı dayanıklı yüzey işlemi	3	Üstün estetik ve mekanik dayanıklılık
Olağanüstü düzlük ve incelik	4	Pürüzsüz yüzey temizlemesi kolay, yerden tasarruf sağlar


Vertical zip curtain is an exterior curtain system, it is used for interior and exterior spaces. It protects from the sun and provides shading. It is not affected by external weather conditions. It shows high resistance to wind. It offers ideal use in summer - winter. From the burning effect of the sun in sudden weather changes; It provides protection from wind, rain and pests. It increases the comfort of living, saves energy in air-conditioned environments, visualizes building facades. It creates a privacy area by dimming the image and at the same time, it offers comfortable viewing from inside to outside in closed position. This product, which is produced by using very durable and high quality fabrics, provides a great ease of use because it is automatic. It can be opened and closed as desired because it is remote. It can be said that this curtain, which offers a very elite appearance, adapts to every space.

A range of colours to match every kind of project

The new Soltis Horizon 86 range features colours designed by our design office to complement the building's entire environment (joinery, openings and facades). The colours present tones that match the most common colours (RAL and NCS references).

Exclusive Precontraint® Technology

This unique globally patented technology consists of maintaining the composite in bi-axial tension throughout the manufacturing cycle. This gives our materials outstanding performance allowing them to surpass market standards in terms of dimensional stability mechanical strength coating thickness and flatness.



High tenacity polyester micro-yarn weave	1	Superior elongation and tear
Coating under bi-axial constant tension in both warp and wft direction	2	No deformation during processing and use
Greater coating at the top of the yarns dirt-resistant surface treatment	3	Superior aesthetic and mechanical durability
Exceptional flatness and thinness	4	Smooth finish easy to clean, space saving, easy rolling

Serge Ferrari Soltis Horizon 86 Perde Testi:

	Teknik Özellikler	Standartlar
Açıklık faktörü	14%	
Ağırlık	380 g/m ² • 11.2 oz/sq.yd	EN ISO 2286-2.
Kalınlık	0.45 mm • 450 microns	
Genişlik	177 cm - 267 cm • 69.6 in. - 105.1 in.	

Rulo Uzunluğu

Standart parça boyutu: 177 cm • 69.6 in.50 lm • 54.6 yd

Standart parça boyutu: 267 cm • 105.1 in. 40 lm • 43.7 yd

	Fiziki Özellikleri	Standartlar
Gerilme direnci (çözgü/atkı)	230/160 daN/5 cm	EN ISO 1421
Yırtılma direnci (çözgü/atkı)	45/20 daN.	DIN 53.363

Yangına Tepki

Değerlendirme	M1/NFP 92-507 — B1/DIN 4102-1— BS 7837 — BS 5867 — Schwerbrennbar-Q1- Tr1/ONORM A 3800-1 Classe 1/EN 13373 — M1/UNE 23.727-90 — VKF 5.3/SN 198898 — 1530.3/AS/NZS G1/GOST 30244-94 — Method 1/NFPA 701 — CSFM T19 — Class A/ASTM E84
---------------	--

Avrupa Sınıfı	B-s2,d0	EN 13501-1
---------------	---------	------------

Fiziki Özellikleri

Kalite	ISO 9001
Çevresel	ISO 14001
Enerji	ISO 50001

Sertifikalar, etiketler, garantiler



Araçlar ve hizmetler

ACV ve FDES istek üzerine mevcuttur. Soltis güneş koruması ile elde edilebilecek enerji tasarrufunu değerlendirme aracı: SOLTISSIM. Serge Ferrari temsilcinizle iletişime geçin.

Sağlanan teknik özellikler, +/- %10 toleransla ortalama değerlerdir.

Serge Ferrari Soltis Horizon 86 Curtain Test

Technical Properties

Openness factor	14%
Weight	380 g/m ² • 11.2 oz/sq.yd
Thickness	0.45 mm • 450 microns
Width	177 cm - 267 cm • 69.6 in. - 105.1 in.

Standarts

EN ISO 2286-2.

Roll Length

Standard piece size: 177 cm • 69.6 in. 50 lm • 54.6 yd

Standard piece size: 267 cm • 105.1 in. 40 lm • 43.7 yd

Physical Properties

Tensile resistance (warp/weft)	230/160 daN/5 cm
Tear resistance (warp/weft)	45/20 daN.

Standarts

EN ISO 1421

DIN 53.363

Physical Properties

Rating	M1/NFP 92-507 — B1/DIN 4102-1— BS 7837 — BS 5867 — Schwerbrennbar-Q1- Tr1/ONORM A 3800-1 Classe 1/EN 13373 — M1/UNE 23.727-90 — VKF 5.3/SN 198898 — 1530.3/AS/NZS G1/GOST 30244-94 — Method 1/NFPA 701 — CSFM T19 — Class A/ASTM E84
--------	--

Euroclass	B-s2,d0	EN 13501-1
-----------	---------	------------

Management System

Quality	ISO 9001
Environmental	ISO 14001
Energy	ISO 50001

Certifications, labels, warranty

Précontraint®
Teknoloji



Tools and services

ACV and FDES available on request. Tool for evaluating the energy savings that can be achieved with Soltis solar protection:SOLTISSIM. Contact your Serge Ferrari representative.



The technical characteristics provided are average values with a tolerance of +/- 10%



Motor Kutusu Engine Box

Product Code: ZIP-1801


Weight kg/m: 1,608
(111 x 111 x 1,5mm)



Motor Kutusu Kapak Engine Box Cover

Product Code: ZIP-1802



Weight kg/m: 1,142
(81 x 108 x 2,1mm)



Saçak Profili Fringe Profile

Product Code: ZIP-1803



Weight kg/m: 1,201
(40 x 50 x 1,5mm)



Dikme Profili Strut Profile

Product Code: ZIP-1804


Weight kg/m: 0,736
(49 x 48 x 1,2mm)



Dikme Profili 2 Strut Profile 2

Product Code: ZIP-1805


Weight kg/m: 0,387
(40 x 20 x 1,2mm)



Dikme Vida Kapak Engine Box


Product Code: ZIP-1806

Weight kg/m: 0,085
(6,6 x 19 x 1,1mm)




Dikey Zip Perde / Vertical Zip Curtain


Real
CAM BALKON




Profile No	kg/m
ZIP-1801	1,608




Profile No	kg/m
ZIP-1802	1,142




Profile No	kg/m
ZIP-1803	1,201



Profile No	kg/m
ZIP-1804	0,736




Profile No	kg/m
ZIP-1805	0,387




Profile No	kg/m
ZIP-1806	0,085





Motor Kutusu Montaj Engine Box Montage



Motor Kutusu Kapağı
Engine Box & Cover




Zip Screen Kumaş Gri
Zip Screen Fabric Gray





Dikme Profili
Strut Profile

Saçak Profili
Eaves Profile




Zip Perdesi Saçak Montajı Zip Curtain Eaves Montage



Zip Perde Dikme Montajı Zip Curtain Strut Montage

Rea1 **CAM BALKON**

Tavan Zip Perde Sistemi






Motor Kutusu Profili

Engine Box Profile

Product Code: TZIP-1801

Weight kg/m: 3,499
(160 x 160 x 3mm)




Ön Çekici Profili

Front Attractive Profile

Product Code: TZIP-1803

Weight kg/m: 3,905
(130 x 82 x 3mm)




Yan Ray Dikme Profili

Side Ray Sewing Profile

Product Code: TZIP-1805


Weight kg/m: 2,981
(85 x 85 x 2mm)



Motor Kutusu Kapak Profile Engine Box Cover Profile

Product Code: TZIP-1802


Weight kg/m: 1,550
(176 x 75 x 2mm) 




Ön Çekici Profil Kapağı
Front Attractive Profile Cover


Product Code: TZIP-1804

Weight kg/m: 1,135
(130 x 20 x 2,5mm)







Profile No	kg/m
TZIP-1801	3,499




Profile No	kg/m
TZIP-1803	3,905



Profile No	kg/m
TZIP-1802	1,550



Profile No	kg/m
TZIP-1805	2,981



Profile No	kg/m
TZIP-1804	1,135



Motor Kutusu Ve Kapağı
Engine Box And Cover

Galvaniz Boru
Galvanized Pipe

Zip Screen Kumaş Gri
Zip Screen Fabric Gray

40 NM Motor
40 NM Engine

Motor Aparatı
Engine Apparatus

Motor Switch Plastiği
Engine Switch Plastic

Paracord İplik
Paracord Thread

Kueksiz Fitol
Quenched Roving

Germe Yayı
Tension Spring

Saçak Yan Profil Kapağı
Side Cover Of Eaves Profile




Saçak Profili Kapağı
Eaves Profile And Cover

Karabina Kancası
Carabine Hook

Dikme Ray Kapağı
Strut Rail Cover

Dikme Profili
Strut Profile






Tavan Zip Perdesi Sistemi / Ceiling Zip Curtain Systems

Real
CAM BALKON

Tavan Zip Perdesi Montajı / Ceiling Zip Curtain Montage



0850 466 73 25






realcambalkon



realcambalkon



realcambalkon.com



Tavan Zip Perdesi Sistemi / Ceiling Zip Curtain Systems

Real
CAM BALKON

Tavan Perdesi Saçak Montajı/Ceiling Curtain Eaves Assembly



0850 466 73 25



realcambalkon

YouTube

realcambalkon



realcambalkon.com

Real **CAM BALKON**

Aluminium Profile Systems



0850
466
7325



realcambalkon



realcambalkon



realcambalkon

www.realcambalkon.com